




Țeavă din polietilenă PE100 CERT, pentru apă potabilă

PE100 pipe for potable water

Труба для питьевой воды из полиэтилена высокой плотности ПЭ100

STF13 PN10

Dext.		e _n	Masa	L		Cod
[inch]	[mm]	[mm]	weight/масса	[m]		code/код
1/2"	20	1,5	0,09	200	10	24100201200
1/2"	20	1,5	0,09	100		24100201100*
1/2"	20	1,5	0,09	50		24100201050*
1/2"	20	1,5	0,09	25		24100201025*
3/4"	25	1,7	0,13	200	8	24100251200
3/4"	25	1,7	0,13	100		24100251100*
3/4"	25	1,7	0,13	50		24100251050*
3/4"	25	1,7	0,13	25		24100251025*
1"	32	1,9	0,19	200	6	24100321200
1"	32	1,9	0,19	100		24100321100*
1"	32	1,9	0,19	50		24100321050*
1"	32	1,9	0,19	25		24100321025*

Material: PE100

Standarde de referință: Standard Tehnic Firmă STF13

Utilizare: Conducte sub presiune instalate în șanț deschis cu pat de nisip

Material: PE100

Reference standards: Company's Technical Standard STF13


Use: water networks under pressure, installation in open trench with sand bed.


Материал: ПЭ100

Применяемый стандарт: Технический стандарт фирмы STF13

Применение: Трубы напорные для траншейной прокладки с песчаной подушкой

SDR13,6 PN12,5

Dext.		e _n	Masa	L		Cod
[inch]	[mm]	[mm]	weight/масса	[mm]		code/код
4"1/2	125	9,2	3,46	13	299	24121250013*
5"	140	10,3	4,26	13	260	24121400013*
6"	160	11,8	5,56	13	182	24121600013*
6"	180	13,3	7,18	13	143	24121800013*
8"	200	14,7	8,85	13	143	24122000013*
8"	225	16,6	10,99	13	143	24122250013*
10"	250	18,4	13,54	13	143	24122500013*
11"	280	20,6	16,96	13	65	24122800013*
13"	315	23,2	21,49	13	65	24123150013*
14"	355	26,1	27,20	13	65	24123550013*
16"	400	29,4	36,00	13	26	24124000013*
18"	450	33,1	43,91	13	26	24124500013*
20"	500	36,8	55,90	13	26	24125000013*
22"	560	41,2	70,19	13	26	24125600013*
25"	630	46,3	85,66	13	26	24126300013*



Material: PE100

Standarde de referință: ISO 4427, EN 12201, DIN 8074/8075

Utilizare: Conducte sub presiune instalate în șanț deschis cu pat de nisip

Material: PE100

Reference standards: ISO 4427, EN 12201, DIN 8074/8075

Use: water networks under pressure, installation in open trench with sandbed

Материал: ПЭ100

Применяемый стандарт: ISO 4427, EN 12201, DIN 8074/8075

Применение: Трубы напорные для траншейной прокладки с песчаной подушкой

