

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

101112224

Articol:

KPS 30/16 M-P

Date pompa

Diametru rotor: 0 mm
Presiune nominala: 6 bar (600 kPa)
Temperatura min. fluid -10 °C
Temperatura max. fluid 50 °C
Temperatura max. ambianta 40 °C

Date de functionare cerute

Debit : 0,00 m3/h
Înaltime de pompare : 0,00 m
Fluid pompat : Ap
Temperatura fluid: 20 °C
Densitate 0,99819 kg/dm3
Vascozitate cinematica: 1,0004 mm2/s
Presiune de vapori: 2,20 kPa



Date disponibile:

Debit :
Înaltime de pompare :

Materiale

Corp pompa Fonta 200 UNI ISO 185
Rotor Alama P Cu Zn40 Pb2 UNI 5705/65
Arbore motor AISI 416 X12 CrS 13 UNI 6900/71
Garnitura OR NBR
Capac Alama P Cu Zn40 Pb2 UNI 5705/65
Etansare mecanica Carbon/Ceramica

Curve tolerance according to ISO 9906



Masa 5,3 kg

Date motor

Marca : DAB
Putere nominala P2: 0,37 kW
Viteza nominala: 2800 1/min
Tensiune nominala : 1~ 220-240 V 50 Hz
Curent nominal : 2 A
Grad de protec ie: IP 44

Dimensiuni de gabaritm

A 228
B 132
B1 165
C 22
DNA 1" G
DNM 1" G
E 46
G 65
H 158
H1 103
H2 138
IO 8

Racorduri pompa:

Partea cu aspiratia: 1 " G / 6 bar (600 kPa)
Partea cu ref ularea: 1 " G / 6 bar (600 kPa)


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KPS 30/16 M-P

Curve tolerance according to ISO 9906



Date disponibile:



| | | | | |
|--|--|-------------------|------------------------------|--------------------------------|
| Partea cu aspiratia: 1 " G 6 bar (600 kPa) | Partea cu refularea: 1 " G 6 bar (600 kPa) | Debit : 0 m3/h | Inaltime de pompare : 0 m | Viteza nominala: 2800 1/min |
| Oferta | ID oferta | Creat de | Creat | 06/10/2020 |

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KPS 30/16 M-P



Dimensiuni in mm

| | | | | | | |
|----|-----|------|----|-----|--|--|
| 1 | A | 228 | H2 | 138 | | |
| 2 | B | 132 | IO | 8 | | |
| 3 | B1 | 165 | | | | |
| 4 | C | 22 | | | | |
| 5 | DNA | 1" G | | | | |
| 6 | DNM | 1" G | | | | |
| 7 | E | 46 | | | | |
| 8 | G | 65 | | | | |
| 9 | H | 158 | | | | |
| 10 | H1 | 103 | | | | |

Racorduri pompa:

Aspiratie
1 " G
6 bar (600 kPa)

Refulare
1 " G
6 bar (600 kPa)

Oferta

ID oferta

Creat de

Creat

06/10/2020