

## Destinatar

## Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

### Cod articol :

60150945

### Articol:

EVOPLUS 110/180 XM

### Date pompa

Presiune nominala: 16 bar  
Temperatura min. fluid -10 °C  
Temperatura max. fluid 110 °C  
EEI : ≤ 0,22

### Presiune minima la nivelul apei:

Temperatura : °C 90 100  
Presiune minima la nivelul apei: m 20 25

### Date de functionare cerute

Debit : 0.00 m3/h  
Înaltime de pompare : 0.00 m  
Fluid pompat (%) : Apă  
Temperatura fluid: 20 °C  
Densitate 0.99819 kg/dm3  
Vascozitate cinematica: 1.0004 mm2/s  
Presiune de vapori: 2.20 kPa




### Date disponibile:

Debit :  
Înaltime de pompare :

### Materiale

Corp pompa Cast iron 250 UNI ISO 185 - CTF  
Rotor Tecnopolimer  
Arbore motor Alumina  
Inel de etansare EPDM  
Carcasa motorului Aluminu turnat la cald  
Flansa de inchidere Otel inox  
Suport inel de echilibrare EPDM

### Curve tolerance according to ISO 9906



### Date motor

Marca : DAB  
Putere absorbita P1 0.17 kW  
Tensiune nominala : 1~ 220-240 V 50 Hz  
Curent nominal : 1.18 A  
Grad de protecție: IP 44

### Dimensiuni de gabaritmm

B	224	H	124	L2	90		
B1	65	H1	124				
B2	159	H2	204				
D	32	L	180				
D1	2" G	L1	90				

Masa 4.7 kg

### Racorduri pompa:

Partea cu aspiratia: 2" G  
Partea cu refularea: 2" G


Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## EVOPLUS 110/180 XM

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:  
2" G  
16 bar (1600 kPa)

Partea cu refularea:  
2" G  
16 bar (1600 kPa)

Debit :  
0 m³/h

Înălțime de pompare :  
0 m

Viteza nominala:  
2900 1/min

Oferta

ID oferta

Creat de

Creat



08/19/2019

Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## EVOPLUS 110/180 XM



### Dimensiuni in mm

### Racorduri pompa:

1	B	224	L2	90						Aspiratie
2	B1	65								2" G
3	B2	159								16 bar (1600 kPa)
4	D	32								
5	D1	2" G								
6	H	124								Refulare
7	H1	124								2" G
8	H2	204								16 bar (1600 kPa)
9	L	180								
10	L1	90								

Oferta

ID oferta

Creat de

Creat

08/19/2019