

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60191415

Articol:

S4 3/13 M 230 V 4OL + KIT 30 m AMEIRA

Inverter application : Allowed - min. 30Hz

Date pompa

MEI $\geq 0,4$

P2 nominal requested : 0.75 kW

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Max. Permitted amount of sand : 150 g/m³

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Materiale

Lower support Precision Cast Steel AISI 304

Rotor Tecnopolimer

Difuzor Tecnopolimer



Screws Otel inox AISI 304

Cable sheath Otel inox AISI 304

Arbore Stainless Steel AISI 420

Filtru Otel inox AISI 304

Curve tolerance according to ISO 9906



Date motor

Motor type : 4OL

Putere nominala P2: 0.75 kW

Tensiune nominala : 1~ 230 V 50 Hz

Curent nominal : 6.3 A

Number of poles : 2

Viteza nominala: 2820 1/min

Grad de protecție: IP 68

Masa 12.9 kg

Dimensiuni de gabarit mm

| | | | | | |
|-----|------------|--|--|--|--|
| DNM | 1" 1/4 G-F | | | | |
| H | 906 | | | | |
| Ø | 99 | | | | |

Racorduri pompa:

Partea cu aspiratia: /


Partea cu refularea: 1" 1/4 G-F / --

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

Installation example without inverter



Expeditor

Installation example with inverter



DESEN DIMENSIONAL

06/22/2020

Pagina 5 / 5


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

S4 3/13 M 230 V 4OL + KIT 30 m AMEIRA



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11
12

DNM
H
Ø

1" 1/4 G-F
906
99

Aspiratie

Refulare
1" 1/4 G-F
--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

06/22/2020