

## Destinatar

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## Expeditor

### Cod articol :

103041000

### Articol:

DRENAG 1000 M-A

### Date pompa

Free passage : 10 mm

Presiune nominala:

Temperatura min. fluid 0 °C

Temperatura max. fluid 35 °C

Temperatura max. ambianta 40 °C

### Date de functionare cerute

Debit : 0 m3/h

Înaltime de pompare : 0 m

Fluid pompat : Ap

Temperatura fluid: 20 °C

Densitate 0,99819 kg/dm3

Vascozitate cinematica: 1,0004 mm2/s

Presiune de vapori: 2,2045 kPa

### Date disponibile:

Debit :

Înaltime de pompare :

### Materiale

Corp pompa AISI 304 X5 Cr Ni 1810 UNI 6900/71

Rotor AISI 304 X5 Cr Ni 1810 UNI 6900/71

Arbore motor AISI 316 X5CrNiMo 1712 - UNI 6900/71



Capac suport etansare AISI 304 X5 Cr Ni 1810 UNI 6900/71

Filtru AISI 304 X5 Cr Ni 1810 UNI 6900/71

Etansare mec. completa pe parti de pompa: Silicon carbide/Silicon carbide

Camasa pompa AISI 304 X5 Cr Ni 1810 UNI 6900/71

### Curve tolerance according to ISO 9906



### Date motor

### Masa

17 kg

### Dimensiuni de gabarit mm

Marca : DAB

Putere nominala P2: 1 kW

Viteza nominala: 2800 1/min

Tensiune nominala : 1~ 220-240 V

50 Hz

Curent nominal : 6 A

Grad de protec ie: IP 68

A 215

C 175

D 71

DNM 1" 1/2 F

H 413

H1 385

### Racorduri pompa:

Partea cu aspiratia: /

Partea cu refularea: 1" 1/2 / --


Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## DRENAG 1000 M-A

Curve tolerance according to ISO 9906



Date disponibile:


Partea cu aspiratia:	Partea cu refularea: 1 " 1/2 --	Debit : 0 m³/h	Înaltime de pompare : 0 m	Viteza nominala: 2800 1/min
Oferta	ID oferta	Creat de	Creat	08/19/2021

Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## DRENAG 1000 M-A



### Dimensiuni in mm

1	A	215
2	C	175
3	D	71
4	DNM	1" 1/2 F
5	H	413
6	H1	385

### Racorduri pompa:

Aspiratie

Refulare  
1 " 1/2  
--

Oferta

ID oferta

Creat de

Creat

08/19/2021