



PERFORMANCE CURVES

06/03/26

Page 2 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

Company
Reference
Address
Phone
Fax
E-mail

Esybox Pop GAS 1x220-240 50/60 Schuko

Curve tolerance according to ISO 9906



Suction side :
3/4"
87,02 psi

Discharge side :
3/4"
87,02 psi

Flow :

Head :

Rated speed :
4.700 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_



ISSUE_DATE

06/03/26


Receiver

Company
Reference
Address
Phone
Fax
E-mail

Esybox Pop GAS 1x220-240 50/60 Schuko



Con raccordi curvi
With curved connections



Con raccordi standard
With standard connections

Dimensions in mm					Pump connection	
1	A	226,5	1 Ø	3/4"		
2	B	120,3				Suction
3	C	14				3/4 "
4	C1	24,7				87,02 psi
5	C2	23				
6	C3	35				
7	C4	36,2				Discharge
8	DNA	3/4"				3/4 "
9	DNM	3/4"				87,02 psi
10	H	209,3				
11	H1	82,3				
12	H2	85				

MAIN_PROJECT_TITLE	BUSINESS_PROCESS_ID	OWNER_	ISSUE_DATE 06/03/26
--------------------	---------------------	--------	-------------------------------