



FUNCTIONING		
Hot water		
Temperature (max)	Hub	Section width
110 °C	1"	46 mm
Pmax		
10 bar	Maximum working pressure	
13 bar	Testing conditions	



Ardesia® packing allows to install the radiator without removing the packing.

ARDESIA® QUICK LOOK






MAXIMUM NUMBER OF SECTIONS WELDED TOGETHER

Height H	Pipe centres l	N° COLUMNS				
		2	3	4	5	6
[mm]	[mm]					
207	151	40	40	40	40	40
300	244	40	40	40	40	40
400	344	40	40	40	40	40
500	444	40	40	40	40	40
556	500	40	40	40	40	35
586	530	40	40	40	40	35
600	544	40	40	40	40	35
626	570	40	40	40	36	30
656	600	40	40	40	36	30
676	620	40	40	40	36	30
750	694	40	40	40	33	27
756	700	40	40	40	33	27
786	730	40	40	40	33	27
856	800	40	40	35	28	23
876	820	40	40	35	28	23
900	844	40	35	35	28	23
926	870	40	35	35	28	23
1000	944	40	35	35	25	20
1200	1144	35	35	25	20	15
1500	1444	35	25	20	15	15
1656	1600	35	25	20	15	14
1800	1744	35	22	20	12	10
1856	1800	35	22	20	12	10
2000	1944	30	22	15	12	10
2056	2000	30	22	15	12	10
2200	2144	30	18	15	12	10
2500	2444	25	18	15	12	10

NIPPLING

The number of section/width is virtually unlimited. It is possible, in fact to obtain a bigger number of sections connecting the single radiators together (see Accessories).



Use only CORDIVARI Nipples. The use of other nipples does not guarantee the sealing of the radiator and excludes the warranty. All the batteries of the same height, can be joined together, starting from a minimum of 3 sections. In the "joining operation" do not exceed the rate of 10 kg x meter. The special white silicon gasket guarantees a perfect hydraulic seal. NOTE: ONLY USE CORDIVARI NIPPLES.



TUBULAR ARDESIA®

TOWEL RAILS

ELECTRIC TOWEL RAILS

STAINLESS STEEL RADIATORS

COLUMN LIVING RADIATORS

MODELS FOR REPLACEMENT

ACCESSORIES

TECHNICAL SUPPORT

ardesia® CONNECTIONS

To make easier your daily work we have provided the standard configurations with reducing bushes and end caps already mounted. When ordering please specify the desired connection, otherwise, the radiator will be supplied without any configurations.

To order Accessories and fittings please consult page 236

STANDARD CONFIGURATIONS


Standard configurations, "0" one and special executions excluded, include airvent end caps and bushes already mounted. It is necessary to specify the desired combination (example: 1,2,3,8,D,M,AS ecc...).

PLEASE NOTE: besides the configurations hereby presented, all configurations with diameters of 3/4" • 1/2" • 3/8" • 1/4" are available.

LEGENDA			
	In		Out
	Airvent		Sleeve 1/2"
	Movable Diverter		Welded Diverter
	End cap		Thermostatic head
	Bidirectional		


SIDE AND OPPOSITE CONNECTIONS

Without Surcharge - Airvent included




BOTTOM-SIDE CONNECTIONS

Surcharge Euro 10,90 - Airvent included




UNIVERSAL CONNECTIONS

Without Surcharge - Airvent included



CONNECTIONS FOR NIPPLING OPERATION


4 open connections with 1" threading end cap, reducing bushes and Airvent are supplied separately, on demand.



Ideal for wholesalers that wish to have a stock of radiators ready for use. The "0" connection for nipple operation allows to have batteries of several dimensions and with a basically endless number of heating sections thanks to the joining operation.

BIDIRECTIONAL CONNECTIONS


Without Surcharge - Airvent included



Valve Bidirectional Kristal Cordivari only for M6 bidirectional connection for batteries from 3 up to 20 sections. (see page 227).

BIDIRECTIONAL CONNECTIONS


Surcharge Euro 40,70 - Airvent included



Bidirectional underneath connection placed on the second section


TOP CONNECTIONS

Surcharge Euro 40,40




OPPOSITE SPECIAL CONNECTIONS

Surcharge Euro 72,00 - Airvent included




WITH UPPER SLEEVES CONNECTIONS

Surcharge Euro 62,70 - Airvent included




UNDERNEATH WELDED SLEEVES CONNECTIONS

Surcharge Euro 72,20 - Airvent included




Pipe centres different from standard are available on demand.

Surcharge Euro 62,70 - Airvent included




Surcharge Euro 90,00 - Airvent included





WELDED UNDERNEATH SLEEVES WITH PIPE CENTRES 50 MM 1/2" AND THERMOSTATIC HEAD MOUNTED*

Surcharge Euro 113,00



Surcharge Euro 219,30



*Valve unit and Liquid thermostatic head Oventrop with liquidfunctioning in accordance with UNI EN 215:2007 regulation.



STANDARD HEIGHTS

PRICE AND TECHNICAL DATA PER SECTION

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
207					
Price [€]	13,40	14,90	17,30	22,20	25,50
Cost [€/W]	0,77	0,60	0,54	0,56	0,52
Δt 60 = [W]	22,2	31,5	40,7	50,5	61,9
Δt 50 = [W]	17,5	24,8	32,0	39,7	48,7
Δt 40 = [W]	13,1	18,5	23,9	29,5	36,3
Δt 30 = [W]	9,0	12,7	16,3	20,1	24,8
Pipe Centres [mm]	151				
Water Content [lt]	0,29	0,42	0,56	0,70	0,80
Dry Weight [kg]	0,35	0,53	0,71	0,89	1,07
Exp. [n]	1,303	1,314	1,317	1,329	1,318

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
300					
Price [€]	13,50	16,90	19,10	22,60	26,70
Cost [€/W]	0,53	0,49	0,41	0,40	0,39
Δt 60 = [W]	32,1	43,7	58,9	71,9	86,1
Δt 50 = [W]	25,6	34,7	46,8	56,5	67,7
Δt 40 = [W]	19,4	26,1	35,3	42,1	50,4
Δt 30 = [W]	13,5	18,1	24,5	28,8	34,5
Pipe Centres [mm]	244				
Water Content [lt]	0,37	0,54	0,72	0,90	1,10
Dry Weight [kg]	0,49	0,74	0,99	1,24	1,49
Exp. [n]	1,247	1,273	1,265	1,320	1,322

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
400					
Price [€]	13,60	15,90	19,40	22,90	26,90
Cost [€/W]	0,41	0,35	0,32	0,32	0,31
Δt 60 = [W]	41,5	56,9	75,5	92,1	110,9
Δt 50 = [W]	33,0	45,1	59,8	72,4	87,3
Δt 40 = [W]	24,9	33,8	44,9	53,9	65,1
Δt 30 = [W]	17,3	23,4	31,1	36,8	44,6
Pipe Centres [mm]	344				
Water Content [lt]	0,45	0,66	0,88	1,10	1,30
Dry Weight [kg]	0,63	0,95	1,27	1,59	1,92
Exp. [n]	1,261	1,284	1,280	1,323	1,313

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
500					
Price [€]	13,70	14,40	17,50	23,10	27,80
Cost [€/W]	0,34	0,26	0,24	0,26	0,26
Δt 60 = [W]	50,6	69,9	91,7	111,7	134,7
Δt 50 = [W]	40,1	55,2	72,4	87,7	106,2
Δt 40 = [W]	30,2	41,4	54,2	65,3	79,3
Δt 30 = [W]	20,9	28,5	37,3	44,6	54,5
Pipe Centres [mm]	444				
Water Content [lt]	0,53	0,79	1,04	1,30	1,60
Dry Weight [kg]	0,77	1,16	1,55	1,95	2,34
Exp. [n]	1,275	1,296	1,296	1,326	1,305

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
600					
Price [€]	13,80	13,60	15,90	23,50	27,90
Cost [€/W]	0,29	0,21	0,19	0,23	0,22
Δt 60 = [W]	59,6	82,8	107,6	130,9	157,6
Δt 50 = [W]	47,1	65,2	84,7	102,7	124,5
Δt 40 = [W]	35,3	48,7	63,2	76,4	93,2
Δt 30 = [W]	24,4	33,5	43,4	52,1	64,2
Pipe Centres [mm]	544				
Water Content [lt]	0,61	0,91	1,20	1,50	1,80
Dry Weight [kg]	0,91	1,37	1,84	2,30	2,76
Exp. [n]	1,289	1,307	1,312	1,329	1,296

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
750					
Price [€]	14,40	16,50	18,40	26,90	31,90
Cost [€/W]	0,25	0,21	0,18	0,22	0,21
Δt 60 = [W]	73,2	101,9	131,3	159,2	190,7
Δt 50 = [W]	57,6	80,0	102,9	124,8	150,9
Δt 40 = [W]	43,0	59,6	76,4	92,7	113,3
Δt 30 = [W]	29,5	40,7	52,0	63,1	78,3
Pipe Centres [mm]	694				
Water Content [lt]	0,73	1,09	1,44	1,80	2,20
Dry Weight [kg]	1,12	1,69	2,26	2,83	3,40
Exp. [n]	1,310	1,325	1,335	1,334	1,284

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
900					
Price [€]	15,70	17,40	19,80	29,60	37,80
Cost [€/W]	0,23	0,18	0,16	0,20	0,21
Δt 60 = [W]	86,9	120,9	154,8	186,9	222,4
Δt 50 = [W]	68,1	94,6	120,8	146,4	176,4
Δt 40 = [W]	50,6	70,2	89,2	108,6	132,8
Δt 30 = [W]	34,5	47,7	60,4	73,9	92,1
Pipe Centres [mm]	844				
Water Content [lt]	0,85	1,27	1,68	2,10	2,50
Dry Weight [kg]	1,33	2,01	2,68	3,36	4,03
Exp. [n]	1,331	1,342	1,359	1,339	1,271

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1000					
Price [€]	17,90	19,90	23,60	32,20	40,70
Cost [€/W]	0,24	0,19	0,18	0,20	0,21
Δt 60 = [W]	95,9	133,3	169,9	205,4	244,2
Δt 50 = [W]	75,2	104,3	132,7	160,6	192,9
Δt 40 = [W]	55,8	77,3	98,1	118,9	144,4
Δt 30 = [W]	38,0	52,5	66,4	80,7	99,5
Pipe Centres [mm]	944				
Water Content [lt]	0,93	1,39	1,84	2,30	2,80
Dry Weight [kg]	1,48	2,22	2,96	3,71	4,46
Exp. [n]	1,335	1,345	1,355	1,348	1,296

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1200					
Price [€]	22,50	28,30	33,00	43,90	52,90
Cost [€/W]	0,25	0,23	0,21	0,23	0,24
Δt 60 = [W]	114,3	157,9	199,7	242,1	287,1
Δt 50 = [W]	89,5	123,5	156,2	188,8	224,7
Δt 40 = [W]	66,3	91,3	115,6	139,2	166,5
Δt 30 = [W]	45,1	61,9	78,5	93,9	113,1
Pipe Centres [mm]	1144				
Water Content [lt]	1,09	1,63	2,17	2,70	3,20
Dry Weight [kg]	1,76	2,64	3,53	4,41	5,30
Exp. [n]	1,343	1,350	1,348	1,366	1,345

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1500					
Price [€]	27,50	36,50	44,50	57,90	68,90
Cost [€/W]	0,25	0,24	0,23	0,25	0,26
Δt 60 = [W]	142,6	194,6	244,3	297,0	349,7
Δt 50 = [W]	111,4	151,9	191,4	230,4	270,0
Δt 40 = [W]	82,3	112,2	142,0	168,8	196,8
Δt 30 = [W]	55,8	75,9	96,6	113,1	130,8
Pipe Centres [mm]	1444				
Water Content [lt]	1,33	1,99	2,65	3,30	4,0
Dry Weight [kg]	2,18	3,28	4,37	5,47	6,57
Exp. [n]	1,355	1,359	1,338	1,393	1,418

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1800					
Price [€]	31,00	41,50	51,00	64,00	77,00
Cost [€/W]	0,23	0,23	0,23	0,24	0,25
Δt 60 = [W]	171,7	230,1	290,1	348,7	403,4
Δt 50 = [W]	134,1	180,2	226,6	271,6	312,7
Δt 40 = [W]	99,1	133,6	167,6	200,1	229,0
Δt 30 = [W]	67,1	90,8	113,5	134,9	153,2
Pipe Centres [mm]	1744				
Water Content [lt]	1,58	2,35	3,13	3,91	4,70
Dry Weight [kg]	2,60	3,91	5,22	6,53	7,84
Exp. [n]	1,355	1,341	1,353	1,370	1,396

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
2000					
Price [€]	34,10	45,70	55,70	71,00	85,00
Cost [€/W]	0,23	0,23	0,22	0,24	0,25
Δt 60 = [W]	191,7	253,6	320,9	382,9	437,2
Δt 50 = [W]	149,8	199,0	250,3	299,0	339,8
Δt 40 = [W]	110,7	147,9	184,6	221,0	249,7
Δt 30 = [W]	75,0	100,9	124,7	149,6	167,8
Pipe Centres [mm]	1944				
Water Content [lt]	1,74	2,59	3,45	4,31	5,20
Dry Weight [kg]	2,89	4,33	5,78	7,23	8,69
Exp. [n]	1,355	1,330	1,364	1,356	1,382


Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
2200					
Price [€]	42,10	55,50	67,30	81,90	99,90
Cost [€/W]	0,25	0,25	0,25	0,25	0,27
Δt 60 = [W]	212,3	276,9	352,1	416,7	469,6
Δt 50 = [W]	165,9	217,8	274,1	326,4	366,0
Δt 40 = [W]	122,6	162,3	201,7	242,0	269,7
Δt 30 = [W]	83,0	111,1	135,9	164,6	182,0
Pipe Centres [mm]	2144				
Water Content [lt]	1,90	2,83	3,77	4,71	5,60
Dry Weight [kg]	3,17	4,76	6,35	7,94	9,53
Exp. [n]	1,355	1,318	1,374	1,341	1,367

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
2500					
Price [€]	47,00	61,00	73,50	92,00	108,90
Cost [€/W]	0,25	0,25	0,24	0,25	0,27
Δt 60 = [W]	244,4	311,7	399,6	467,2	515,6
Δt 50 = [W]	190,9	245,9	310,2	367,4	403,4
Δt 40 = [W]	141,1	184,0	227,5	273,8	298,8
Δt 30 = [W]	95,5	126,6	152,5	187,4	202,9
Pipe Centres [mm]	2444				
Water Content [lt]	2,14	3,19	4,25	5,31	6,40
Dry Weight [kg]	3,59	5,39	7,19	9,00	10,80
Exp. [n]	1,355	1,301	1,389	1,318	1,345

Special heights between
207 mm and 2500 mm are
available on demand.
See page 42



HEIGHTS FOR REPLACEMENT
PRICE AND TECHNICAL DATA PER SECTION



TUBULAR
ARDESIA®

TOWEL RAILS

ELECTRIC
TOWEL RAILS

STAINLESS STEEL
RADIATORS

COLUMN LIVING
RADIATORS

MODELS FOR
REPLACEMENT

ACCESSORIES

TECHNICAL
SUPPORT

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
676					
Price [€]	13,00	13,50	15,90	26,00	30,30
Cost [€/W]	0,25	0,19	0,17	0,23	0,22
Δt 60 = [W]	66,5	92,5	119,6	145,3	174,6
Δt 50 = [W]	52,4	72,8	94,0	114,0	138,0
Δt 40 = [W]	39,2	54,3	70,0	84,7	103,5
Δt 30 = [W]	27,0	37,2	47,8	57,7	71,4
Pipe Centres [mm]	620				
Water Content [lt]	0,67	1,00	1,32	1,65	2,00
Dry Weight [kg]	1,02	1,53	2,05	2,57	3,09
Exp. [n]	1,299	1,316	1,324	1,332	1,290

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
876					
Price [€]	14,70	15,90	19,70	29,30	39,10
Cost [€/W]	0,22	0,17	0,17	0,20	0,23
Δt 60 = [W]	84,7	117,8	151,0	182,5	217,4
Δt 50 = [W]	66,5	92,3	118,0	143,0	172,4
Δt 40 = [W]	49,4	68,5	87,2	106,1	129,7
Δt 30 = [W]	33,7	46,6	59,1	72,2	90,0
Pipe Centres [mm]	820				
Water Content [lt]	0,83	1,24	1,65	2,05	2,50
Dry Weight [kg]	1,30	1,96	2,61	3,27	3,93
Exp. [n]	1,327	1,339	1,355	1,338	1,273

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
556					
Price [€]	12,70	13,70	15,90	24,20	27,70
Cost [€/W]	0,29	0,22	0,20	0,25	0,24
Δt 60 = [W]	55,6	77,2	100,6	122,5	147,6
Δt 50 = [W]	44,0	60,9	79,3	96,2	116,5
Δt 40 = [W]	33,1	45,5	59,3	71,5	87,1
Δt 30 = [W]	22,9	31,3	40,7	48,8	60,0
Pipe Centres [mm]	500				
Water Content [lt]	0,58	0,85	1,13	1,41	1,70
Dry Weight [kg]	0,85	1,28	1,71	2,14	2,58
Exp. [n]	1,283	1,302	1,305	1,328	1,300

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
656					
Price [€]	13,40	13,50	16,10	25,50	29,60
Cost [€/W]	0,26	0,19	0,18	0,23	0,22
Δt 60 = [W]	64,7	90,0	116,5	141,5	170,2
Δt 50 = [W]	51,0	70,8	91,6	111,0	134,5
Δt 40 = [W]	38,2	52,8	68,2	82,5	100,8
Δt 30 = [W]	26,3	36,2	46,6	56,3	69,5
Pipe Centres [mm]	600				
Water Content [lt]	0,66	0,97	1,29	1,61	1,90
Dry Weight [kg]	0,99	1,49	1,99	2,50	3,00
Exp. [n]	1,297	1,314	1,320	1,331	1,292

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
756					
Price [€]	13,90	14,80	18,10	27,70	33,50
Cost [€/W]	0,24	0,18	0,17	0,22	0,22
Δt 60 = [W]	73,7	102,7	132,2	160,3	192,0
Δt 50 = [W]	58,0	80,6	103,6	125,7	152,0
Δt 40 = [W]	43,3	60,0	76,9	93,3	114,1
Δt 30 = [W]	29,7	41,0	52,4	63,6	78,9
Pipe Centres [mm]	700				
Water Content [lt]	0,74	1,09	1,45	1,81	2,20
Dry Weight [kg]	1,13	1,70	2,28	2,85	3,42
Exp. [n]	1,311	1,325	1,336	1,335	1,283

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
856					
Price [€]	14,60	15,40	18,90	28,90	36,00
Cost [€/W]	0,22	0,17	0,16	0,21	0,21
Δt 60 = [W]	82,8	115,3	147,9	178,8	213,2
Δt 50 = [W]	65,1	90,4	115,6	140,1	169,0
Δt 40 = [W]	48,4	67,1	85,5	103,9	127,2
Δt 30 = [W]	33,1	45,7	58,0	70,7	88,1
Pipe Centres [mm]	800				
Water Content [lt]	0,82	1,21	1,61	2,01	2,40
Dry Weight [kg]	1,27	1,91	2,56	3,20	3,85
Exp. [n]	1,324	1,337	1,352	1,338	1,275

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1656					
Price [€]	33,30	40,50	50,90	64,00	72,00
Cost [€/W]	0,27	0,24	0,24	0,25	0,25
Δt 60 = [W]	157,6	213,2	268,0	324,0	378,0
Δt 50 = [W]	123,1	166,7	209,7	251,9	292,5
Δt 40 = [W]	91,0	123,3	155,3	185,1	213,7
Δt 30 = [W]	61,6	83,6	105,5	124,4	142,6
Pipe Centres [mm]	1600				
Water Content [lt]	1,46	2,18	2,90	3,62	4,36
Dry Weight [kg]	2,40	3,61	4,81	6,02	7,23
Exp. [n]	1,355	1,350	1,346	1,381	1,407

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
1856					
Price [€]	36,50	46,50	56,80	68,00	84,00
Cost [€/W]	0,26	0,25	0,24	0,24	0,26
Δt 60 = [W]	177,2	236,6	298,7	358,3	413,0
Δt 50 = [W]	138,4	185,5	233,3	279,3	320,4
Δt 40 = [W]	102,3	137,6	172,3	205,9	234,8
Δt 30 = [W]	69,3	93,6	116,7	139,0	157,3
Pipe Centres [mm]	1800				
Water Content [lt]	1,62	2,42	3,22	4,02	4,84
Dry Weight [kg]	2,69	4,04	5,40	6,75	8,11
Exp. [n]	1,355	1,338	1,356	1,366	1,392

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
2056					
Price [€]	40,90	53,10	61,10	77,00	95,00
Cost [€/W]	0,27	0,26	0,24	0,25	0,27
Δt 60 = [W]	197,4	260,1	329,6	392,4	446,4
Δt 50 = [W]	154,2	204,3	256,9	306,7	347,2
Δt 40 = [W]	114,0	151,9	189,4	226,9	255,3
Δt 30 = [W]	77,2	103,7	127,8	153,8	171,8
Pipe Centres [mm]	2000				
Water Content [lt]	1,78	2,66	3,54	4,42	5,29
Dry Weight [kg]	2,98	4,47	5,96	7,45	8,95
Exp. [n]	1,355	1,326	1,366	1,351	1,378

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
586					
Price [€]	13,30	14,30	17,50	26,50	29,90
Cost [€/W]	0,29	0,22	0,21	0,26	0,25
Δt 60 = [W]	58,3	81,0	105,4	128,3	154,5
Δt 50 = [W]	46,1	63,8	83,0	100,7	121,9
Δt 40 = [W]	34,6	47,7	62,0	74,8	91,3
Δt 30 = [W]	23,9	32,8	42,5	51,1	62,8
Pipe Centres [mm]	530				
Water Content [lt]	0,60	0,89	1,18	1,47	1,77
Dry Weight [kg]	0,89	1,34	1,79	2,24	2,70
Exp. [n]	1,287	1,306	1,309	1,329	1,298

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
626					
Price [€]	13,70	14,40	17,60	26,60	32,00
Cost [€/W]	0,28	0,21	0,20	0,25	0,25
Δt 60 = [W]	61,9	86,1	111,7	135,9	163,5
Δt 50 = [W]	48,9	67,8	87,9	106,6	129,1
Δt 40 = [W]	36,7	50,6	65,5	79,2	96,7
Δt 30 = [W]	25,3	34,7	44,9	54,0	66,7
Pipe Centres [mm]	570				
Water Content [lt]	0,63	0,94	1,24	1,55	1,85
Dry Weight [kg]	0,95	1,43	1,91	2,39	2,87
Exp. [n]	1,292	1,310	1,316	1,330	1,294

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
786					
Price [€]	15,60	16,30	18,90	33,50	43,00
Cost [€/W]	0,26	0,19	0,18	0,26	0,27
Δt 60 = [W]	76,4	106,5	136,9	165,9	198,4
Δt 50 = [W]	60,1	83,6	107,2	130,0	157,1
Δt 40 = [W]	44,9	62,1	79,5	96,5	118,1
Δt 30 = [W]	30,7	42,4	54,1	65,7	81,7
Pipe Centres [mm]	730				
Water Content [lt]	0,76	1,13	1,50	1,87	2,25
Dry Weight [kg]	1,18	1,77	2,37	2,97	3,56
Exp. [n]	1,315	1,329	1,341	1,335	1,281

Height (mm)	2 COLUMNS	3 COLUMNS	4 COLUMNS	5 COLUMNS	6 COLUMNS
926					
Price [€]	17,50	21,50	26,70	39,50	46,00
Cost [€/W]	0,25	0,22	0,22	0,26	0,25
Δt 60 = [W]	89,2	124,1	158,7	191,7	228,1
Δt 50 = [W]	70,0	97,2	123,9	150,1	180,7
Δt 40 = [W]	52,0	72,0	91,5	111,3	135,9
Δt 30 = [W]	35,4	48,9	61,9	75,6	94,1
Pipe Centres [mm]	870				
Water Content [lt]	0,78	1,26	1,70	2,13	2,56
Dry Weight [kg]	1,29	1,95	2,60	3,26	3,92
Exp. [n]	1,332	1,343	1,358	1,342	1,277



Pipe Centres for replacing CAST IRON radiators



Pipe Centres for replacing ALUMINIUM radiators



Pipe Centres for replacing LAMELLAR and PANEL radiators