

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

Cod articol :

60173608

Articol:

KI 40/120 M

Versiune standard

Date pompa

MEI $\geq 0,40$

Presiune nominala: 8 bar (800 kPa)

Temperatura min. fluid -10 °C

Temperatura max. fluid 90 °C

Temperatura max. ambianta 40 °C

Date de functionare cerute

Debit : 0,00 m³/h

Înaltime de pompare : 0,00 m

Fluid pompat : Ap

Temperatura fluid: 20 °C

Densitate 0,99819 kg/dm³

Vascozitate cinematica: 1,0004 mm²/s

Presiune de vapori: 2,20 kPa

Date disponibile:

Debit :

Înaltime de pompare :

NPSH :

Shaft power P2 :

Efficiency :

Materiale

Corp pompa AISI 304 X5 Cr Ni 1810 UNI 6900/71

Rotor AISI 304 X5 Cr Ni 1810 UNI 6900/71

Etansare mecanica Carbon/Ceramica/NBR



Disc suport etansare Otel inox AISI 304

Garnitura OR Cauciuc NBR

Arbore cu rotor AISI 303 X10 CrNiS 1809 UNI 6900/71

Carcasa motorului Aluminu

Curve tolerance according to ISO 9906



Masa 19,6 kg

Date motor

Marca : DAB

Putere nominala P2: 1,5 kW

Viteza nominala: 2800 1/min

Tensiune nominala : 1~ 220-230 V 50 Hz

Curent nominal : 9,7 A

Grad de protec ie: IP 55

Dimensiuni de gabaritmm

A	236	H3	272
B	432	IO	9
C	53		
D	159		
DNA	1"1/4 G		
DNM	1" G		
E	93,5		
F	13		
G	140		
H	252		
H1	120		
H2	132		

Racorduri pompa:

Partea cu aspiratia: 1 " 1/4 G/ 8 bar (800 kPa)

Partea cu refularea: 1 " G / 8 bar (800 kPa)


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KI 40/120 M

Curve tolerance according to ISO 9906



Date disponibile:



Partea cu aspiratia: 1 " 1/4 G 8 bar (800 kPa)	Partea cu refularea: 1 " G 8 bar (800 kPa)	Debit : 0 m³/h	Înălțime de pompare : 0 m	Viteza nominala: 2800 1/min
Oferta	ID oferta	Creat de	Creat	09/13/2021

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KI 40/120 M



Dimensiuni in mm

1	A	236	H1	120		
2	B	432	H2	132		
3	C	53	H3	272		
4	D	159	IO	9		
5	DNA	1"1/4 G				
6	DNM	1" G				
7	E	93,5				
8	F	13				
9	G	140				
10	H	252				

Racorduri pompa:

Aspiratie
1 " 1/4 G
8 bar (800 kPa)

Refulare
1 " G
8 bar (800 kPa)

Oferta

ID oferta

Creat de

Creat

09/13/2021